

CONTENTS

Acronyms and abbreviations.....	11
Key Messages	13
Executive Summary.....	15
1 Introduction.....	21
1.1 Background and objective	21
1.2 Soil organic matter.....	21
1.3 The global carbon cycle.....	23
1.4 Climate change, land use and soil carbon.....	25
2 Effects of climate change on soil carbon	27
2.1 Introduction	27
2.1.1 An overview of processes and their response to climate change	27
2.1.2 Can we detect effects of climate change on soil carbon reliably and accurately?	29
2.2 Climate change factors and their effects on soil carbon	30
2.2.1 Effects of elevated atmospheric CO ₂	30
2.2.2 Effects of temperature	31
2.2.3 Effects of changes in precipitation	33
2.2.4 Interactions with nitrogen and phosphorus.....	35
2.2.5 Integrated analysis of the combined effects by modelling	36
2.2.6 Assessment: Uncertainties and knowledge gaps	37
2.3 General methodologies to estimate changes in soil carbon	38
3 Monitoring systems used to estimate changes in soil carbon	41
3.1 Description of available monitoring schemes	41
3.2 Evaluation of available monitoring schemes.....	45
3.2.1 Limitations of existing and proposed monitoring schemes	45
3.2.2 Costs of soil carbon monitoring.....	45
3.2.3 European harmonisation	46
3.3 Recommendations for monitoring schemes	47
3.3.1 Considerations when making recommendations.....	47
3.3.2 Towards harmonisation of monitoring schemes in Europe	47
4 Carbon storage and trends in Europe	51
4.1 Introduction	51
4.2 Carbon storage and trends	51
4.2.1 Carbon pool estimates	51
4.2.2 Carbon trends.....	57
4.2.3 Conclusions	65
5 Peat soils	69
5.1 Introduction	69
5.2 Peat formation.....	69
5.3 Occurrence of peat in the European Union	71
5.3.1 Peat extraction	74
5.3.2 Peat soils used in agriculture	76
5.4 Emissions of greenhouse gases from drained peatland	76

5.4.1	Emissions from peat soils used in agriculture	78
5.5	Effect of land use and soil management on carbon stocks of peat soils	80
5.5.1	Peat soils converted to forests	83
6	Effect of land use and soil management on soil carbon.....	85
6.1	Introduction	85
6.2	Effect of land use on carbon sequestration.....	85
6.3	Effect of soil management on carbon sequestration.....	86
6.3.1	Agricultural systems	86
6.3.2	(Semi-) natural systems	90
6.3.3	Forests.....	94
6.4	Comparison of the potential of soil management and land use measures to mitigate climate change with mitigation efforts in other sectors....	98
6.4.1	Potential of soil carbon sequestration.....	98
6.4.2	Barriers to implementation of soil carbon sequestration measures	99
6.4.3	Soil carbon sequestration in comparison to the GHG mitigation potential in other sectors	101
6.5	Inventory and reporting systems for measuring the carbon stock changes due to land use and land use changes.....	102
6.5.1	Current status of the inventory and reporting systems for measuring the carbon stock changes in soils in the land use, land use change and forestry sector.....	102
7	Analysis of selected EU policies affecting soil carbon stocks.....	109
7.1	Introduction	109
7.2	Common Agricultural Policy.....	109
7.2.1	The policy	109
7.2.2	Potential effects on soil carbon.....	110
7.2.3	Conclusions	114
7.3	Nitrates Directive.....	114
7.3.1	The policy	114
7.3.2	Potential effects on soil carbon.....	115
7.3.3	Conclusions	116
7.4	Renewable Energy Sources and Biofuels Directives	116
7.4.1	The policy	116
7.4.2	Potential effects on soil carbon.....	117
7.4.3	Conclusions	119
7.5	Waste Policy	119
7.5.1	The policy	119
7.5.2	Potential effects on soil carbon.....	120
7.5.3	Conclusions	121
7.6	EU Thematic Strategy for soil protection.....	121
7.6.1	The policy	121
7.6.2	Potential effects on soil carbon.....	122
7.7	Other policies and legislation	122
7.8	Assessment	122

Glossary.....	125
References.....	133

List of Annexes

Annex 1 Methodologies to estimate changes in soil carbon.....	179
Annex 2 Inventory of available datasets on soil organic carbon (SOC) or soil organic matter (SOM) in cultivated agricultural land (arable land and grassland) and non-cultivated land for the assessments of changes in SOC or SOM content as a result of land use and management in response to the threat “Decline of soil organic matter”; the information has been collected within the RAMSOIL framework (http://www.ramsoil.eu/UK/Results/Project+Reports+WP2/).....	185
Annex 3 Examples of monitoring schemes in European countries	187
Annex 4 Carbon trends in grassland, cropland and forest soil: methods and their reliability	189
Annex 5 Case studies for assessing changes in soil carbon stocks	191
Annex 6 Share of soil organic carbon in 0-30 and 0-100 cm.	195
Annex 7 Definitions of organic soil and Histosols (FAO, 1998. World reference base for soil resources, World Soil Resources Report 84, Food and Agriculture Organization of the United Nations, Rome).	197
Annex 8 Overview of fuel peat use in selected countries.....	199
Annex 9 Summary of methodological choices of countries on soil categories by relevant land use and land use change categories based on the respective national inventory reports submitted to the UNFCCC in April 2008. Note that information of only those countries is included that provided appropriate methodological information in their report. Note also that much more information may be available in the upcoming new round of the national inventory reports due in April 2009.	201
Annex 10 Effect of nitrogen on SOC.....	205

List of Tables

Table 1 Expected responses of soil carbon and the underlying processes to key environmental change factors. (Note: “Uncertainty” refers to the direction of the soil carbon response: uncertainties about magnitudes of change are high throughout.) .	29
Table 2 Total number (N) of actual monitoring sites, number (n) of sites where carbon content (%) is measured, theoretical number (n1) of sites needed to detect a relative decrease of 5% of the national mean of topsoil organic carbon contents according to national statistics on variances, number (n2) of additional sites needed in comparison with n1, number (n3) of additional sites needed in comparison with N (taken from ENVASSO, see Arrouays and Morvan, 2008).....	43
Table 3 Soil Organic Carbon Stock Estimates from JRC pan-European Spatial Layer, USAD NRCS SOC Map and national estimates; the available national figures are all based on observations and measurements on soil organic matter or soil organic carbon and use pedo-transfer rules to calculate stocks of SOC.	54

Table 4 Estimated changes in soil carbon pool under different land uses in Europe. Positive figures mean increase in the pool, negative ones decrease; sd stands for standard deviation.	64
Table 5 Occurrence of peat covered land area (km ²) in the European Union Member States and Candidate Countries.	73
Table 6 Emissions of CO ₂ , CH ₄ , and N ₂ O (in ton km ⁻² a ⁻¹) estimated according to the drained peatland area. Typical annual emissions for each land use type are derived from the IPCC Emission Factor Database (www.ipcc-nccc.iges.or.jp/EFDB) for boreal and temperate peatlands, denoted by “*”, and from Alm <i>et al.</i> (2007); all unmarked emission factors. CO ₂ -equivalents are calculated using GWP (100 yr) conversion factors 21 for CH ₄ , and 296 for N ₂ O, respectively.	77
Table 7 Emissions of GHG of peats soils in agricultural use. Calculation are based on: grassland emissions 20 tonne CO ₂ ha ⁻¹ a ⁻¹ ; cropland emissions 40 tonne CO ₂ ha ⁻¹ a ⁻¹ (see Fig. 5 and Oleszczuk <i>et al.</i> , 2008); C/N ratio = 20 (assuming that the major part of agricultural peat soils are fen peats); 1.25 % of mineralized N converted into N ₂ O (Mosier <i>et al.</i> , 1998). Cropland area and grassland area are based on Byrne <i>et al.</i> , 2004.....	80
Table 8 Summary of effect of land use change on soil carbon.	85
Table 9 Effect of a selection of mitigation measures on carbon sequestration in agriculture	87
Table 10 Emissions or removals per unit area for mineral and organic soils for the main land use and land use change categories for the EU countries that submitted CRF tables based on the most recently submitted national inventory reports to the UNFCCC (usually 15 April 2008 submissions). Categories are denoted by abbreviations of the category in the previous year followed by the category in the current year, e.g. FL-FL for forest land remaining forest land, and L-FL for (any) land converted to forest land. L means (any) land, CL is for cropland, GL is for grassland, WL is for wetland, SE is for settlements, and OL is for other land (ie. the land use categories by IPCC). IE means 'included elsewhere', NO means 'not occurring', NE means 'not estimated', NA means 'not applicable'.	105
Table 11 CAP reform measures and assumed impact climate-related characteristics of farm systems in Europe.....	111
Table 12 Overview of potential impacts of EU policies on carbon sequestration.....	123

List of Figures

Figure 1 The changing forms of organic matter (University of Minnesota, Organic matter management).....	22
Figure 2 Principal global carbon pools in Pg (1 Pg = 1 Gt = 10 ¹⁵ g).....	23
Figure 3 Schematic diagram of carbon cycle, with (above) main pools and flows of the natural global C cycle, and (below) human perturbation to the flows of C (in Pg) between the pools.....	24
Figure 4 Climate change affects the soil carbon pool and vice versa changes in soil carbon affect the climate. For these relationships, land use and land management are major factors.	26
Figure 5 Processes leading to formation and loss of soil carbon.....	28

Figure 6 Maps of density of sites at which on the left in a) topsoil organic carbon content is measured and on the right b) topsoil organic carbon stocks can be calculated without necessity of further assumptions for bulk density and/or for calculation of organic C from organic matter. (Source: ENVASSO report, Arrouays & Morvan, 2008).	42
Figure 7 Soil Organic Carbon Content Estimates for Europe.....	53
Figure 8 Map of peat cover in Europe (JRC).....	72
Figure 9 Comparison of areas collected from literature (Current peatland area) and areas derived from the Map of OC in Topsoils of Europe (Montanarella <i>et al.</i> , 2006). The points represent those countries for which both estimates could be derived.	74
Figure 10 Fuel peat extraction (1000 ton) in 1990-2005 in selected EU countries according to statistics collected by the UN.....	75
Figure 11 CO ₂ emission of peat soils. Agricultural peat soils have at least a mean ditchwater level of 20 cm minus soil surface. Data collected by Couwenberg <i>et al.</i> (2008) are based on direct measurements of CO ₂ emissions and data by Van den Akker (Fens NL, unpublished data) are based on CO ₂ emissions calculated from measured mean annual subsidence.	79
Figure 12 Global economic mitigation potential	101
Figure 13 One-to-one copy of Table A-209 of NIR USA (2008) where US factors are compared to IPCC default values.	108
Figure 14 One-to-one copy of Table A-211 of NIR USA (2008) where US factors are compared to IPCC default values.	108

